


Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	55.4% (16.4 m)	Green		485		5374	1395		2315
2	44.6% (13.2 m)	Chinese Violet		734		0112	1387		2422

Upper thread 29.7 m
 Bobbin 9.9 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts




Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	55.1% (21.7 m)	Green		485		5374	1395		2315
2	44.9% (17.7 m)	Chinese Violet		734		0112	1387		2422

Upper thread 39.4 m
 Bobbin 13.1 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.




Thread Charts




Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	42.2% (10.8 m)	Green		485		5374	1395		2315
2 	48.6% (12.4 m)	Pale Purple		015		3612	1175		2275
3 	9.2% (2.3 m)	Mustard Yellow		242		0934	1272		2332

Upper thread 25.6 m
 Bobbin 8.5 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.




Thread Charts




Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	42.2% (13.2 m)	Green		485		5374	1395		2315
2 	48.6% (15.3 m)	Pale Purple		015		3612	1175		2275
3 	9.2% (2.9 m)	Mustard Yellow		242		0934	1272		2332

Upper thread 31.4 m
 Bobbin 10.5 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts




Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	46.2% (11.3 m)	Dark Navy		564		0132	1365		2386
2 	45.4% (11.1 m)	Silver		734		0152	1164		2484
3 	8.4% (2.0 m)	Amber		242		1352	1155		2332

Upper thread 24.4 m
 Bobbin 8.1 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	46.2% (11.3 m)	Dark Navy		564		0132	1365		2386
2 	45.4% (11.1 m)	Silver		734		0152	1164		2484
3 	8.4% (2.0 m)	Amber		242		1352	1155		2332

Upper thread 24.4 m
 Bobbin 8.1 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	58.9% (13.4 m)	Dark Navy		564		0132	1365		2386
2	41.1% (9.4 m)	Snapdragon		334		0310	1022		2408

Upper thread 22.8 m
 Bobbin 7.6 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.






Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	58.9% (13.4 m)	Dark Navy		564		0132	1365		2386
2	41.1% (9.4 m)	Snapdragon		334		0310	1022		2408

Upper thread 22.8 m
 Bobbin 7.6 m


This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts




Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	25.8% (6.5 m)	Dark Navy		564		0132	1365		2386
2 	63.7% (16.0 m)	Orange		224		1332	1253		2231
3 	10.5% (2.6 m)	Brass		414		1115	1173		2201

Upper thread 25.1 m
 Bobbin 8.4 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.





Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	25.8% (6.5 m)	Dark Navy		564		0132	1365		2386
2 	63.7% (16.0 m)	Orange		224		1332	1253		2231
3 	10.5% (2.6 m)	Brass		414		1115	1173		2201

Upper thread 25.1 m
 Bobbin 8.4 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	49.2% (12.5 m)	Dark Navy		564		0132	1365		2386
2 	50.8% (12.9 m)	Spray Green		745		0722	1136		2483

Upper thread 25.4 m
 Bobbin 8.5 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	49.2% (12.5 m)	Dark Navy		564		0132	1365		2386
2	50.8% (12.9 m)	Spray Green		745		0722	1136		2483

Upper thread 25.4 m
 Bobbin 8.5 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts



Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	41.2% (7.8 m)	Dark Navy		564		0132	1365		2386
2	58.8% (11.1 m)	Light Brown		255		0933	1058		2567

Upper thread 18.9 m
 Bobbin 6.3 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.





Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	41.2% (7.8 m)	Dark Navy		564		0132	1365		2386
2 	58.8% (11.1 m)	Light Brown		255		0933	1058		2567

Upper thread 18.9 m
 Bobbin 6.3 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	49.3% (15.2 m)	Dark Navy		564		0132	1365		2386
2 	50.7% (15.6 m)	Orange		224		1332	1253		2231

Upper thread 30.8 m
 Bobbin 10.3 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	49.3% (15.2 m)	Dark Navy		564		0132	1365		2386
2	50.7% (15.6 m)	Orange		224		1332	1253		2231

Upper thread 30.8 m
 Bobbin 10.3 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	47.1% (19.8 m)	Dark Navy		564		0132	1365		2386
2	52.9% (22.2 m)	Orange		224		1332	1253		2231

Upper thread 42.0 m
 Bobbin 14.0 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.





Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	47.1% (19.8 m)	Dark Navy		564		0132	1365		2386
2	52.9% (22.2 m)	Orange		224		1332	1253		2231

Upper thread 42.0 m
 Bobbin 14.0 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts



Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	44.8% (13.2 m)	Dark Navy		564		0132	1365		2386
2 	55.2% (16.3 m)	Medium Green/Yellow		242		0934	1193		2401

Upper thread 29.4 m
 Bobbin 9.8 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	44.8% (13.2 m)	Dark Navy		564		0132	1365		2386
2 	55.2% (16.3 m)	Medium Green/Yellow		242		0934	1193		2401

Upper thread 29.4 m
 Bobbin 9.8 m


This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts



Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	44.3% (8.6 m)	Dark Navy		564		0132	1365		2386
2	55.7% (10.7 m)	Grey		734		0111	1239		2217

Upper thread 19.3 m
 Bobbin 6.4 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	44.3% (8.6 m)	Dark Navy		564		0132	1365		2386
2 	55.7% (10.7 m)	Grey		734		0111	1239		2217

Upper thread 19.3 m
 Bobbin 6.4 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.

Thread Charts




Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1	31.8% (7.1 m)	Dark Navy		564		0132	1365		2386
2	60.0% (13.3 m)	Grey		734		0111	1239		2217
3	8.2% (1.8 m)	Orange		224		1332	1253		2231

Upper thread 22.2 m
 Bobbin 7.4 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.



Thread Charts

Thread	Consumption	Name	Brother	Country	Isacord	Polyester	Madeira Rayo	Robison-Anton	Rayon
1 	31.8% (7.1 m)	Dark Navy		564		0132	1365		2386
2 	60.0% (13.3 m)	Grey		734		0111	1239		2217
3 	8.2% (1.8 m)	Orange		224		1332	1253		2231

Upper thread 22.2 m
 Bobbin 7.4 m

This documentation was created with Embird 2004 software registered to Shane Reynolds.
 For more information regarding Embird 2004 please visit web site at <http://www.embirdusa.com>.
 Note: These are the closest threads Embird 2004 was able to found. They might differ from the real colors in some cases.